
POSTER PRESENTATION

- 1 **QUALI-QUANTITATIVE DETERMINATION OF ISOQUINOLINE ALKALOIDS PRESENT IN THE KAZAKH SPECIES OF BARBERRY SHRUBS**
Abdykerimova S, Kukuła-Koch W, Głowniak K, Sakipova Z
-
- 2 **RESPONSE SURFACE METHODOLOGY AS AN EFFECTIVE TOOL IN THE OPTIMIZATION OF EXTRACTION CONDITIONS AND PREDICTING ANTIOXIDANT POTENTIAL OF *MAGNOLIA X SOULAGEANA* 'LENNEI' FLOWER BUD EXTRACTS**
Adamska-Szewczyk A, Baj T, Zgórk G
-
- 3 **EXPLOITATION OF BY-PRODUCTS DERIVED FROM ROSE PETALS (*ROSA DAMASCENA* MILL) HYDRODISTILLATION**
Dina E, Arapi E, Economou S, Iliev H, Stathopoulou K, Cheilari A, Skaltsounis AL, Alijiannis N
-
- 4 **THE ISOLATION OF PHENOLIC COMPOUNDS FROM *CISTUS MONSPELIENSIS* METHANOLIC EXTRACTS BY CPC CHROMATOGRAPHY**
Voudour I, Cheilari A, Alijiannis N
-
- 5 **MODIFICATION OF STEROL CONTENT IN MARIGOLD *CALENDULA OFFICINALIS* HAIRY ROOTS AS A RESPONSE TO ELICITATION WITH SELECTED BIOTIC AND ABIOTIC FACTORS**
Alsoufi A, Długosz M, Pączkowski C, Szakiel A
-
- 6 **IDENTIFICATION AND QUANTIFICATION OF VARIOUS SUGARS AND INOSITOLS PRESENT IN DIFFERENT PLANTS USING GC-MS**
Al-Suod H, Ratiu I-A, Ligor M, Buszewski B
-
- 7 **IDENTIFICATION OF PHTHALIDES IN DIFFERENT PARTS OF *KELUSSIA ODORATISSIMA* MOZAFF. WITH GC/MS**
Ayyari M, Le Bot M, Reissi S, Alimohammadpour A, Breard D, Shojaeian A, Richomme P
-
- 8 **ROYAN BIODISCOVERY INITIATIVE USING ZEBRAFISH IN VIVO AND OTHER IN VITRO ASSAYS FOR IDENTIFICATION OF BIOACTIVE NATURAL PRODUCTS**
Ayyari M, Tahamtani Y, Pahlavan S, Rezaei M, Karami F, Shahbazi N, Hosseini M, Pourghadamyari H, Fooladi P, Baharvand H
-
- 9 **APPLICATION OF STATISTICAL ANALYSES TO CORRELATE THE CHEMICAL COMPOSITION OF SELECTED ESSENTIAL OILS TOGETHER WITH DETERMINATION OF THEIR ANTI-*HELICOBACTER PYLORI* ACTIVITY IN VITRO**
Baj T, Głowniak-Lipa A, Korona-Głowniak I, Malm A
-
- 10 **ESSENTIAL OIL COMPOSITION OF *PEUMUS BOLDUS***
Kałwa K, Wyrostek J, Baj T, Kowalski R
-
- 11 **ISOLATION OF 5-MOP FROM THE PLANT SOURCE AND AN *IN VITRO* ANTIPROLIFERATIVE AND ANTIMIGRATIVE EFFECT ON CULTURED HUMAN TUMOR CELL LINES**
Bartnik M, Żurek A, Kaławaj K, Zdzisińska B
-

12	HPLC/ESI-QTOF-MS ANALYSIS OF <i>LEVISTICUM OFFICINALE</i> FRUIT EXTRACTS OBTAINED BY DIFFERENT EXTRACTION TECHNIQUES <u>Bartnik M</u> , <u>Wojtyś M</u>
13	THE TRITERPENE COMPOSITION OF LEAF AND FRUIT CUTICULAR WAXES OF TWO POLISH VARIETIES OF <i>RIBES NIGRUM</i> L. <u>Becker R</u> , <u>Bogdańska A</u> , <u>Wojtaszko A</u> , <u>Pączkowski C</u> , <u>Szakiel A</u>
14	SCREENING FOR ISOPRENOID DERIVATIVES AND THEIR DISTRIBUTION IN BLACKBERRY <i>RUBUS FRUTICOSUS</i> L. <u>Becker R</u> , <u>Bogdańska A</u> , <u>Wojtaszko A</u> , <u>Pączkowski C</u> , <u>Golis T</u> , <u>Szakiel A</u>
15	POLYPHENOL CONTENT AND ANTIOXIDANT ACTIVITY OF EXTRACTS FROM DIFFERENT PARTS OF KAZAKH ENDEMIC <i>CRATAEGUS ALMATENSIS</i> POJARK <u>Bekbolatova E</u> , <u>Ibadullayeva G</u> , <u>Turgumbayeva A</u> , <u>Kukuła-Koch W</u> , <u>Sakipova Z</u> , <u>Stasiak NG</u> , <u>Baj T</u> , <u>Koch W</u> , <u>Fabio Boylan</u>
16	LC/MS-BASED DISCOVERY OF METABOLIC MARKERS FOR THE QUALITY CONTROL OF FRUIT AND SEED OILS <u>Stachniuk A</u> , <u>Berecka B</u> , <u>Montowska M</u> , <u>Fornal E</u>
17	QUININE TRANSFORMATION – KNOWN AND NEW DERIVATIVES ANALYZED WITH APPLYING LC-MS AND NMR TECHNIQUES <u>Bernacik K</u> , <u>Dawidowicz AL</u> , <u>Typek R</u> , <u>Stankevič M</u>
18	TRANSFORMATION OF RUTIN DURING ITS EXTRACTION <u>Bernacik K</u> , <u>Dawidowicz AL</u> , <u>Typek R</u>
19	THE INFLUENCE OF VARIOUS LAVENDER OILS ON THE FACIAL SKIN MICROBIOTA <u>Białoń M</u> , <u>Krzyško-Łupicka T</u> , <u>Nowakowska-Bogdan E</u> , <u>Wieczorek PP</u>
20	GC-MS ANALYSIS OF ISOPRENOIDS IN GRAPEVINE CV. MERLOT AND GAMAY LEAVES AFTER EXPOSITION TO UV-B RADIATION <u>Burdziej A</u> , <u>Pączkowski C</u> , <u>Szakiel A</u> , <u>Cluzet S</u>
21	BULBS OF <i>GALANTHUS PLATYPHYLLUS</i> TRAUB & MOLDENKE AS A SOURCE OF BIOACTIVE ALKALOIDS <u>Charkot P</u> , <u>Widelski J</u> , <u>Jokhadze M</u> , <u>Berashvili D</u> , <u>Bojhadze A</u> , <u>Mroczek T</u>
22	ASSAY OF RUTIN IN BULK AND IN PHARMACEUTICAL PREPARATION BY USING UHPLC-DAD METHOD <u>Paczkowska M</u> , <u>Zalewski P</u> , <u>Cielecka-Piontek J</u>
23	THE SCREENING OF ANTI-LIPASE AND ANTI-AMYLASE ACTIVITY OF SELECTED EDIBLE PLANT MATERIALS <u>Czerwińska ME</u> , <u>Siegień J</u> , <u>Granica S</u> , <u>Buchholz T</u> , <u>Melzig MF</u>
24	DISTRIBUTION OF TRITERPENOIDS AMONG DIFFERENT TISSUES OF <i>ROSA RUGOSA</i> HIP <u>Dashbaldan S</u> , <u>Pączkowski C</u> , <u>Szakiel A</u>

25	<p>ACCUMULATION OF TRITERPENOIDS IN CUTICULAR WAXES DURING <i>ARONIA MELANOCARPA</i> FRUIT DEVELOPMENT</p> <p><u>Dashbaldan S</u>, <u>Pączkowski C</u>, <u>Szakiel A</u></p>
26	<p>APPLICATION OF COC-GC-FID SYSTEM FOR GLYCERIDE AND NON-GLYCERIDE OIL COMPONENTS ANALYSIS</p> <p><u>Dębczak A</u>, <u>Tyśkiewicz K</u>, <u>Gieysztor R</u>, <u>Maziarczyk I</u>, <u>Rój E</u></p>
27	<p>ISOLATION OF ACTIVE <i>AMARYLLIDACEAE</i> ALKALOIDS USING VACUUM LIQUID CHROMATOGRAPHY WITH GRADIENT OF STATIONARY AND MOBILE PHASES</p> <p><u>Dymek A</u>, <u>Wojtanowski KK</u>, <u>Widelski J</u>, <u>Mroczek T</u></p>
28	<p>SHOOT CULTURES OF <i>ARONIA</i> × <i>PRUNIFOLIA</i> CULTIVATED IN PLANT FORM BIOREACTOR – ESTIMATION OF PHENOLIC ACIDS USING LC-DAD METHOD</p> <p>Szopa A, Kubica P, Żywko J, <u>Ekiert H</u></p>
29	<p>SHOOT CULTURES OF <i>ARONIA</i> × <i>PRUNIFOLIA</i> MAINTAINED IN RITA BIOREACTOR – ANALYSIS OF PHENOLIC ACIDS WITH LC-DAD METHOD</p> <p>Szopa A, Kubica P, Żywko J, <u>Ekiert H</u></p>
30	<p>THE ISOLATION AND IDENTIFICATION OF THREE NEW COMPOUNDS FROM <i>PANCRATIUM LITTORALE</i> JACQ., (<i>AMARYLLIDACEAE</i>)</p> <p><u>Faleschini MT</u>, <u>De Mieri M</u>, <u>Potterat O</u>, <u>Hamburger M</u></p>
31	<p>CENTRIFUGAL PARTITION CHROMATOGRAPHY: A COST-EFFECTIVE TECHNOLOGY FOR CANNABINOIDS PURIFICATION IN PRODUCTION SCALE</p> <p>Xynos N, <u>Fokialakis N</u>, <u>Aligiannis N</u></p>
32	<p>“MICROMETABOLITE” PROJECT: MICROBIAL ENHANCEMENT OF BIOACTIVE SECONDARY METABOLITE PRODUCTION IN PLANTS</p> <p>Tsiokanou E, Bossard E, Tsafantakis N, Assimopoulou A, Declerck S, Schneider C, Sessitsch A, Willems A, Aligiannis N, <u>Fokialakis N</u></p>
33	<p>USNIC ACID ENANTIOMERS ISOLATION AND ACTIVITY</p> <p><u>Galanty A</u>, <u>Grabowska K</u>, <u>Kulig M</u>, <u>Podolak I</u></p>
34	<p>POTENTIAL CHEMOPREVENTIVE ACTIVITY OF <i>FERULA PENNINERVIS</i> ROOT EXTRACT IN MELANOMA</p> <p><u>Gawel-Bęben K</u>, <u>Hoian U</u>, <u>Antosiewicz B</u>, <u>Skalicka-Woźniak K</u>, <u>Głowniak K</u></p>
35	<p>HIGH PERFORMANCE THIN LAYER CHROMATOGRAPHY AS A SUPPORTING TOOL FOR THE METABOLIC DISCRIMINATION OF <i>RHEUM</i> SPECIES</p> <p><u>Ge Yanhui</u>, <u>Sun Mengmeng</u>, <u>Salomé-Abarca Luis F</u>, <u>Wang Mei</u>, <u>Choi Young Hae</u></p>
36	<p>PHENOLIC COMPOUNDS CHARACTERIZATION AND ANTIOXIDANT POTENTIAL OF <i>NEPETA HUMILIS</i> BENTHAM</p> <p><u>Gökbulut A</u>, <u>Yilmaz G</u></p>
37	<p>IN SEARCH OF CHEMOTAXONOMIC MARKERS OF <i>TILIA</i> SPECIES USING UHPLC-DAD-MS METHOD</p> <p>Józefczyk K, Pawłowska KA, Ziaja M, <u>Granica S</u></p>

38	DETERMINATION OF FLAVONOIDS IN AN ELICITED <i>CHAMAENERION ANGSTIFOLIUM</i> (L.) PLANTS CULTIVATED IN VITRO <u>Grysczyńska A</u> , Opala B, Łowicki Z, Pietrowiak A, Miklaś M, Ożarowski M, Dreger M, Mikołajczak PŁ, Wielgus K
39	DETERMINATION OF FLAVONOIDS AND PHENOLIC ACIDS IN AQUEOUS AND 50% HYDROALCOHOLIC EXTRACTS FROM FLOWERS AND FRUITS FROM <i>SAMBUCUS NIGRA</i> L. <u>Grysczyńska A</u> , Grysczyńska B, Pinas M, Budzyń M, Kasprzak MP, Opala B, Łowicki Z, Iskra M, Mikołajczak PŁ
40	ACCUMULATION OF PHENOLIC COMPOUNDS IN DIFFERENT <i>IN VITRO</i> CULTURE SYSTEMS OF <i>SALVIA VIRIDIS</i> L. <u>Grzegorzczak-Karolak I</u> , Kuźma Ł, Kiss AK
41	STEPWISE GRADIENT THIN LAYER CHROMATOGRAPHY OF COMPONENTS OF <i>HIEROCHLOE AUSTRALIS</i> EXTRACTS UNDER CONDITIONS OF CONTROLLED MOBILE PHASE VELOCITY <u>Hałka-Grysińska A</u> , Leszczyński A, Baj T, Polak B, Dzido T
42	CHROMATOGRAPHIC AND SPECTROSCOPIC PROFILING VERSUS ANTIOXIDANT AND CYTOPROTECTIVE POTENTIAL OF LYOPHILISATES OBTAINED FROM AERIAL PARTS OF THREE <i>SCUTELLARIA</i> L. SPECIES Zgórk G, <u>Hryć B</u> , Mrówczyńska L, Piosik Ł
43	OLIVE-NET, BIOACTIVE COMPOUNDS FROM <i>OLEA EUROPAEA</i>: INVESTIGATION AND APPLICATION IN FOOD, COSMETIC AND PHARMACEUTICAL INDUSTRY <u>Jakschitz T</u> , Fischnaller M, Lutz O, Bonn GK
44	CHEMICAL COMPOSITION AND BIOLOGICAL ACTIVITY OF SEVERAL <i>ARTEMISIA</i> L. SPECIES <u>Józefczyk A</u> , Świątek Ł, Korona-Główniak I, Kołodziej P, Rajtar B, Polz-Dacewicz M, Bogucka-Kocka A
45	HPLC-DAD ANALYSIS OF ARBUTIN CONTENTS PRODUCED FROM P-HYDROXYBENZOIC ACID IN A BIOTRANSFORMATION PROCESS IN <i>SCUTELLARIA LATERIFLORA</i> L. <i>IN VITRO</i> CULTURES <u>Kawka B</u> , Kwiecień I, Ekiert H
46	ARBUTIN PRODUCTION VIA BIOTRANSFORMATION OF HYDROQUINONE IN <i>SCUTELLARIA LATERIFLORA</i> L. <i>IN VITRO</i> CULTURES – HPLC ANALYSIS <u>Kawka B</u> , Kwiecień I, Ekiert H
47	POLYPHENOLIC PROFILE, ANTIOXIDANT EFFECTIVENESS AND PRO-INFLAMMATORY ENZYMES INHIBITION OF FLOWERS, LEAVES, FRUITS AND BARK OF <i>COTONEASTER INTEGERRIMUS</i> <u>Kicel A</u> , Owczarek A, Gralak P, Magiera A, Olszewska MA
48	CONTRIBUTION OF INDIVIDUAL POLYPHENOLS TO ANTIOXIDANT ACTIVITY OF THE LEAVES OF <i>COTONEASTER BULLATUS</i> AND <i>C. ZABELII</i> <u>Kicel A</u> , Kołodziejczyk-Czepas J, Nowak P, Olszewska MA

49	OPTIMIZATION OF TOTAL PHENOLIC ACIDS EXTRACTION FROM AERIAL PART OF <i>NASTURTIUM OFFICINALE</i> R. BR. AND CYTOTOXICITY ACTIVITIES <u>Kimak P</u> , Świątek Ł, Rajtar B, Polz-Dacewicz M, Baj T
50	ACCUMULATION OF PHENOLIC ACIDS IN <i>NASTURTIUM OFFICINALE</i> MICROSHOOT CULTURES – ESTIMATION WITH LC-DAD METHOD <u>Klimek-Szczykutowicz M</u> , Szopa A, Ekiert H
51	QUALITATIVE AND QUANTITATIVE ANALYSES OF PHENOLIC ACIDS BY LC-DAD METHOD IN AGAR MICROSHOOT CULTURES OF <i>SCHISANDRA CHINENSIS</i> CV. SADOVA Szopa A, <u>Klimek-Szczykutowicz M</u> , Ekiert H
52	THE EFFECT OF SELECTED NATURAL OILS WITH MONO- AND POLYUNSATURATED FATTY ACIDS ON THE GROWTH OF DERMATOPHYTES Mendrycka M, <u>Kosikowska U</u> , Ludwiczuk A, Wasiaś M, Rój E, Malm A
53	STRAIN DEPENDENT ACTIVITY OF THE COMPOSITIONS WITH <i>OENOTHERA BIENNIS</i> L. SEED OIL AGAINST SKIN ISOLATES OF GRAM-POSITIVE BACTERIA Mendrycka M, <u>Kosikowska U</u> , Ludwiczuk A, Stępień-Pyśniak D, Juda M, Rój E, Malm A
54	CHEMICAL COMPOSITION AND ACTIVITY OF POLYPHENOLIC COMPOUNDS FROM AERIAL PARTS 5 SPECIES OF <i>CENTAUREA</i> Józefczyk A, <u>Kowal A</u>
55	EVALUATION OF EXTRACTION PARAMETERS FOR ISOLATION OF TRITERPENOIDS FROM THE FRUITS OF <i>MOMORDICA CHARANTIA</i> L. <u>Kowalewska P</u> , Baj T, Kuraya E, Świątek Ł, Rajtar B, Polz-Dacewicz M, Ludwiczuk A
56	PHENOLIC COMPOUNDS OF WILD PLANTS OF <i>HERNIARIA</i> GENUS. EVALUATION OF THEIR ANTIOXIDANT ACTIVITY <i>IN VITRO</i>. <u>Kozachok S</u> , Kołodziejczyk-Czepas J, Pecio Ł, Wojtanowski KK, Zgórk G, Marchyshyn S, Nowak P, Oleszek W
57	EVALUATION OF THE ACTIVITY OF METHANOLIC EXTRACT AND MINOR COMPOUNDS OF <i>PEUCEDANUM LUXURIANS</i> FRUITS IN A ZEBRAFISH EPILEPSY MODEL <u>Koziół E</u> , Crawford AD, Widelski J, Luca SV, Skalicka-Woźniak K
58	HPLC-ESI-Q-TOF-MS ANALYSIS OF POLYPHENOLIC CONSTITUENTS PRESENT IN SELECTED <i>MARRUBIUM</i> SPECIES <u>Kozyra M</u> , Wojtanowski KK
59	ANTIOXIDANT ACTIVITIES OF METHANOLIC EXTRACTS FROM INFLORESCENCES OF SELECTED <i>CIRSIUM</i> SP. <u>Kozyra M</u> , Wasylczuk E
60	ENZYME-ASSISTED SUPERCRITICAL FLUID EXTRACTION AS EFFICIENT METHODS OF BIOLOGICAL ACTIVE COMPOUNDS ISOLATION <u>Krakowska A</u> , Rafińska K, Walczak J, Buszewski B

61	GREEN SYNTHESIS OF ZINC OXIDE NANOPARTICLES USING <i>MEDICAGO SATIVA</i> L. EXTRACT <u>Król A</u> , Railean-Plugaru V, Pomastowski P, Buszewski B
62	LC-DAD ANALYSIS OF VERBASCOSIDE AND ISOVERBASCOSIDE IN <i>VERBENA OFFICINALIS</i> L. IN VITRO CULTURES GROWN IN TWO TYPES OF BIOREACTORS <u>Kubica P</u> , Szopa A, Kokotkiewicz A, Łuczkiwicz M, Ekiert H
63	VALIDATION OF LC-DAD METHOD FOR EFFECTIVE SEPARATION OF IRIDIODS: HASTATOSIDE, VERBENALIN AND PHENYLPROPANOID GLYCOSIDES: VERBASCOSIDE, ISOVERBASCOSIDE IN <i>VERBENA OFFICINALIS</i> L. HERB EXTRACTS <u>Kubica P</u> , Szopa A, Maślanka A, Ekiert H
64	ANTIPROLIFERATIVE EFFECT OF <i>BERBERIS SIBIRICA</i> PALL. EXTRACT AND ITS SELECTED ACTIVE CONSTITUENTS AGAINST TRIPLE NEGATIVE BREAST CANCER CELL LINES Grabarska A, Tarabas D, Koch W, Angelis A, Halabalaki M, Aligiannis N, <u>Kukuła-Koch W</u>
65	THE QUALITY ASSESSMENT OF <i>ZINGIBER OFFICINALE</i> EXTRACTS <u>Kukuła-Koch W</u> , Czernicka L, Koch W, Rój E, Ludwiczuk A, Jasłowska U, Cieślak D, Juszczyk A, Marzec Z, Asakawa Y
66	STUDIES ON OXIDATION OF AMARANTHIN DERIVED FROM INFLORESCENCES OF RED <i>GOMPHRENA GLOBOSA</i> L. CULTIVARS <u>Kumorkiewicz A</u> , Wybraniec S
67	HPLC-DAD-ESI-Q-TOF-MS PROFILING OF <i>VERBASCUM BLATTARIA</i> L. AND SEPARATION OF THREE ACYLATED IRIDOID DIGLYCOSIDES BY HIGH-PERFORMANCE COUNTER-CURRENT CHROMATOGRAPHY <u>Luca SV</u> , Miron A, Skalicka-Woźniak K
68	SELECTIVE CYTOTOXICITY OF VERBASCOSIDE ISOLATED FROM <i>VERBASCUM OVALIFOLIUM</i> BY HIGH-PERFORMANCE COUNTER-CURRENT CHROMATOGRAPHY <u>Luca SV</u> , Vasincu A, Miron A, Aprotosoae AC, Neophytou C, Constantinou AL, Skalicka-Woźniak K
69	THE EFFECT OF <i>TRITICUM AESTIVUM</i> GERM OIL ON THE GROWTH OF GRAM-POSITIVE BACTERIA ISOLATED FROM SKIN MICROBIOTA Mendrycka M, <u>Ludwiczuk A</u> , Kosikowska U, Zagoździńska K, Juda M, Malm A
70	OPTIMIZATION OF ULTRASONIC-ASSISTED EXTRACTION OF TOTAL PHENOLIC COMPOUNDS FROM <i>HYSSOPUS OFFICINALIS</i> BY FRACTIONAL FACTORIAL DESIGN AND ANTIMICROBIAL ACTIVITY <u>Łuczowska K</u> , Biernasiuk A, Malm A, Baj T
71	EFFICIENT ISOLATION OF PUERARIN AND RELATED ISOFLAVONE COMPOUNDS FROM KUDZU ROOT USING CENTRIFUGAL PARTITION CHROMATOGRAPHY <u>Maciejewska M</u> , Zgórk G

72	EFFECTS OF <i>SORBUS AUCUPARIA</i> FLOWER EXTRACTS ON <i>IN VIVO</i>-RELEVANT OXIDANTS AND OXIDATIVE/NITRATIVE DAMAGE OF HUMAN PLASMA COMPONENTS Olszewska MA, Kołodziejczyk-Czepas J, Owczarek A, Rutkowska M, Michel P, Nowak P, <u>Magiera A</u>
73	<i>IN VITRO</i> EVALUATION OF THE ANTIOXIDANT ACTIVITY OF <i>PRUNUS SPINOSA</i> FLOWER EXTRACTS TOWARDS THE MOST COMMON <i>IN VIVO</i>-RELEVANT OXIDANTS <u>Marchelak A</u> , Rutkowska M, Michel P, Owczarek A
74	<i>PRUNUS SPINOSA</i> FLOWER EXTRACTS AS THROMBIN INHIBITORS – AN <i>IN VITRO</i> STUDY <u>Marchelak A</u> , Kołodziejczyk-Czepas J, Owczarek A, Nowak P, Olszewska MA
75	POLYPHENOL CONTENT IN AGASTACHE RUGOSA SHOOT <i>IN VITRO</i> CULTURES GROWN UNDER DIFFERENT ILLUMINATION AND SUPPLEMENTED WITH AMINO ACIDS Zielińska S, Kolniak-Ostek J, Nowicka P, Oszmiański J, Niewiadomski M, Kostyrka K, <u>Matkowski A</u>
76	PHYTOCHEMICAL DIVERSITY OF INVASIVE <i>FALLOPIA</i> SPECIES AND THEIR BIOACTIVITY CORRELATIONS ELUCIDATED BY LC-MS BASED TARGETED METABOLOMICS Nawrot-Hadzik I, Granica S, Abel R, <u>Matkowski A</u>
77	SYSTEMATIC REVIEW OF ETHNOMEDICINAL PLANTS USED IN EPILEPSY – EMPHASIS ON CHROMATOGRAPHY ROLE IN PHYTOCHEMISTRY AND BIOACTIVITY SCREENING <u>Matoshi E</u> , Stefkov G, Hoxha D, Kulevanova S, Nebija D
78	SYSTEMATIC REVIEW OF ETHNOMEDICINAL PLANTS USED IN ALZHEIMER'S DISEASE – EMPHASIS ON CHROMATOGRAPHY ROLE IN PHYTOCHEMISTRY AND BIOACTIVITY SCREENING <u>Matoshi E</u> , Stefkov G, Hoxha D, Kulevanova S, Nebija D
79	SEARCHING FOR ACETYLCHOLINESTERASE INHIBITORS IN THE BULBS OF <i>GALANTHUS KETZKHOVELII</i> KEM.-NATH. <u>Matras M</u> , Wideliski J, Jokhadze M, Berashvili D,Bojhadze A, Mroczek T
80	HPLC-DAD-MS/MS ANALYSIS OF ASH LEAF FROM DIFFERENT COMMERCIAL AND NATURAL SOURCES <u>Michalak B</u> , Patyra A, Kiss AK
81	SECONDARY METABOLITES FROM COMMON LILAC BARK AND ITS ANTI-INFLAMMATORY ACTIVITIES IN <i>IN VITRO</i> MODELS Wyszomierska J, <u>Michalak B</u> , Filipek A, Kiss AK
82	SESQUITERPENOIDS AND PHENOLICS FROM <i>TARAXACUM</i> SPP. <u>Michalska K</u> , Stojakowska A

83	PHYTOCHEMICAL PROFILE OF <i>GAULTHERIA PROCUMBENS</i> STEM EXTRACTS AND THEIR EFFECTS ON THE PRO-INFLAMMATORY AND PRO-OXIDANT FUNCTIONS OF HUMAN NEUTROPHILS <u>Michel P</u> , Granica S, Rosińska K, Magiera A, Olszewska MA
84	ANTI-INFLAMMATORY AND ANTIOXIDANT ACTIVITIES OF METHYL SALICYLATE GLYCOSIDES FROM <i>GAULTHERIA PROCUMBENS</i> FRUIT EXTRACT <u>Michel P</u> , Granica S, Olszewska MA
85	TRITERPENE SAPONINS CONTENT IN <i>CHENOPODIUM BONUS-HENRICUS</i> <u>Mroczek A</u> , Papiernik P, Stochmal A, Kowalczyk M
86	PRELIMINARY PHYTOCHEMICAL STUDY ON GREEK ENDEMIC <i>RINDERA GRAECA</i> AERIAL PARTS. ANTIOXIDANT ACTIVITY Ganos C, Graikou K, Aligiannis N, Widelski J, <u>Mroczek T</u> , Chinou I
87	POLYPHENOL COMPOSITION OF <i>VERNONIA AMYGDALINA</i> DEL. FROM IVORY COAST Dagnon S, <u>Novkova Z</u> , Bojilov D, Kouassi K, Adou D, Mamyrbekova- Békro J, Békro Y-A
88	SUPERCRITICAL AND ACCELERATED SOLVENT EXTRACTION OF JUNIPER CULTIVARS AS NEW POTENTIAL SOURCES OF PODOPHYLLOTOXIN <u>Nowak R</u> , Rój E, Olech M, Ivanova D, Angelov G, Yankov D, Wiejak R
89	DERMAL CYTOTOXICITY AND TYROSINASE INHIBITION PROPERTIES OF MARCHANTIN A ISOLATED FROM <i>MARCHANTIA POLYMORPHA</i> L. <u>Osika P</u> , Kowalska J, Gawel-Bęben K, Antosiewicz B, Głowniak K, Ludwiczuk A
90	DEVELOPMENT OF A UHPLC-PDA METHOD FOR STANDARDIZATION OF HIPPOCASTANI CORTEX BY STATISTICAL AND NUMERICAL OPTIMIZATION <u>Owczarek A</u> , Kobiela N, Magiera A, Olszewska MA
91	ISOLATION OF PLANT SPECIFIC METABOLITES FROM FLOWERS OF <i>YUCCA FILAMENTOSA</i> VAR. <i>FLACCIDA</i> <u>Pecio Ł</u> , Adamczyk K, Stochmal A, Oleszek W
92	COMPARISON OF TRADITIONAL AND MODERN EXTRACTION METHODS FOR THE ANALYSIS OF TILIROSIDE IN <i>TILIA</i> L. FLOWERS BY LC-ESI-MS/MS METHOD <u>Pieczykolan A</u> , Pietrzak W, Nowak R, Pielczyk J, Rój E
93	OPTIMIZATION OF PHENOLIC COMPOUNDS EXTRACTION FROM <i>LACTARIUS DELICIOSUS</i> Nowacka-Jechalke N, <u>Pieczykolan A</u> , Pietrzak W, Olech M, Nowak R
94	ISOLATION OF ELLAGITANNINS' METABOLITES FROM <i>EX VIVO</i> GUT MICROBIOTA CULTURES AND HUMAN URINE. <u>Piowarski JP</u> , Stanisławska I, Kiss AK, Granica S
95	METHOD OF ANTHOCYANIN AND THEIR METABOLITES ANALYSIS IN BLOOD PLASMA AND URINARY OF EWES AFTER CHOKEBERRY ADMINISTRATION <u>Płatosz N</u> , Szawara-Nowak D, Topolska J, Bączek N, Skipor-Lahuta J, Wiczkowski W

96	SYNERGISTIC EFFECT OF LYSIMACHIA CILIATA SAPONINS AND DIANTHIN IMMUNOTOXIN AGAINST HER-14 CANCER CELLS Koczurkiewicz P, <u>Podolak I</u> , Bhargava CH, Wójcik-Pszczola K, Piska K, Grabowska K, Pękala E, Fuchs H
97	QUANTIFICATION OF CAFFEETANNINS AND FLAVONOIDS IN <i>THYMI SIRUPUS COMPOSITUS</i> Kowalczyk A, Bodalska A, <u>Raj D</u> , Fecka I
98	SELECTED LAMIACEAE-SPECIES-POST-DISTILLATION-BROTHS AS AN ALTERNATE SOURCE OF COMMERCIALY VALUABLE COMPOUNDS Włodarczyk M, Gleńsk M, Biskup I, <u>Raj D</u> , Fecka I
99	EVALUATION OF CUTICULAR WAX EXTRACTION YIELD FROM GRAPEFRUIT (<i>CITRUS PARADISI</i>) PEEL <u>Reig E</u> , Leśniak P, Dashbaldan S, Pączkowski C, Szakiel A
100	TRITERPENOID CONTENT OF PARAGUAYO PEACH (<i>PRUNUS PERSICA</i> VAR. <i>PLATYCARPA</i>) CUTICULAR WAX <u>Reig E</u> , Dashbaldan S, Pączkowski C, Szakiel A
101	STUDY OF PHENOLIC COMPOUNDS OF <i>WISTERIA SINENSIS</i> LEAVES BY USING COMBINED MASS SPECTROMETRIC AND CHROMATOGRAPHIC METHODS FOR IN-DEPTH ANALYSIS <u>Rokosz P</u> , Kwiecień H
102	THE INFLUENCE OF PERUVIAN MACA (<i>LEPIDIUM PERUVIANUM</i>) ON BREAST CANCER CELL LINES <u>Rubio J</u> , Grabarska A, Kukuła-Koch W, Skalicka-Woźniak K, Stepulak A, Głowniak K, Meissner H
103	ISOLATION, IDENTIFICATION AND BIOLOGICAL ACTIVITY OF TWO DIGLYCOSIDES FROM <i>SORBUS DOMESTICA</i> (L.) LEAVES <u>Rutkowska M</u> , Owczarek A, Michel P, Kołodziejczyk-Czepas J, Nowak P, Olszewska MA
104	VARIATION IN THE PHENOLIC PROFILE AND ANTIOXIDANT ACTIVITY OF <i>SORBUS DOMESTICA</i> (L.) LEAVES DURING FOLIAR DEVELOPMENT <u>Rutkowska M</u> , Dubicka M, Magiera A, Olszewska MA
105	MICROEMULSIONS OF CITRONELLA, EUCALYPTUS AND MINT ESSENTIAL OILS AND THEIR MIXTURE FOR INCREASED ANTIOXIDANT ACTIVITY <u>Sieniawska E</u> , Wota M, Szczes A
106	PHYTOCHEMICAL INVESTIGATION OF <i>POLEMONIUM CAERULEUM</i> EXTRACTS Łaska G, <u>Sieniawska E</u> , Zjawiony J, Stocki M
107	THYMOL DERIVATIVES FROM ROOTS OF <i>XEROLEKIA SPECIOSISSIMA</i> (L.) ANDERB. AN ENDEMIC SPECIES OF PREALPINE AREA. Kłeczek N, Malarz J, <u>Stojakowska A</u>
108	SPECIES IN A ZEBRAFISH EPILEPSY MODEL Skiba A, Solnier J, Crawford AD, Bucar F, <u>Skalicka-Woźniak K</u>

109	HPLC-DAD-ESI-Q-TOF-MS ANALYSIS OF TWO <i>HAPLOPHYLLUM</i> SPECIES (<i>H. VULCANICUM</i> AND <i>H. SAHINII</i>) AND THEIR ANTICHOLINESTERASE ACTIVITY Karahisar E, Luca SV, <u>Skalicka-Woźniak K</u> , Senol FS, Tugay O, Orhan IE
110	GC-MS ANALYSIS OF <i>TAMUS EDULIS</i> LEAF AND TUBER EXTRACTS. I. NON-GLYCOSYLATED STEROIDS <u>Styczyński M</u> , Rogowska A, Pączkowski C, Szakiel A, Pinheiro de Carvalho MÂA
111	GC-MS ANALYSIS OF <i>TAMUS EDULIS</i> LEAF AND TUBER EXTRACTS. II. AGLYCONES OF TRITERPENOID GLYCOSIDES Rogowska A, <u>Styczyński M</u> , Pączkowski C, Szakiel A, Pinheiro de Carvalho MÂA
112	GC-MS PROFILING OF TRITERPENOIDS FROM CUTICULAR WAXES OF KIWI FRUIT (<i>ACTINIDIA DELICIOSA</i> AND <i>ACTINIDIA ARGUTA</i>) VARIETIES Kondej K, Pączkowski C, <u>Szakiel A</u>
113	THE PROFILE OF ANTHOCYANINS METABOLITES IN HUMAN AND SHEEP AFTER CHOCHEBERRY INTAKE IN THE CONTEXT OF PROTECTIVE EFFECTS ON NERVE CELLS Płatosz N, <u>Szawara-Nowak D</u> , Topolska J, Bączek N, Skipor-Lahuta J, Wiczkowski W
114	COMPARISON OF THE ESSENTIAL OIL COMPOSITION OF SELECTED <i>HEMEROCALLIS</i> CULTIVARS <u>Szewczyk K</u> , Kalembe D, Dąbrowska A
115	SECONDARY METABOLITES FROM THE AERIAL PARTS OF <i>IMPATIENS GLANDULIFERA</i> AND THEIR ANTIOXIDANT ACTIVITY <u>Szewczyk K</u> , Cicek S, Zidorn C, Granica S
116	<i>SCHISANDRA RUBRIFLORA</i>, SOIL-GROWN PLANTS AND ESTABLISHED <i>IN VITRO</i> MICROSHOOT CULTURES, AS A POTENTIAL SOURCE OF THERAPEUTICALLY VALUABLE DIBENZOCYCLOOCTADIENE LIGNANS – UPLC-MS/MS AND LC-DAD DETECTION AND QUANTIFICATION <u>Szopa A</u> , Dziurka M, Klimek-Szczykutowicz M, Kubica P, Warzecha A, Ekiert H
117	PRODUCTION OF <i>SCHISANDRA CHINENSIS</i> CV. SADOVA LIGNANS IN PLANTFORM BIOREACTOR AND THEIR SIMULTANEOUSLY QUANTIFICATION BY LC-DAD METHOD <u>Szopa A</u> , Klimek-Szczykutowicz M, Kokotkiewicz A, Luczkiewicz M, Ekiert H
118	CHALLENGES IN QUANTIFYING POLYCYCLIC AROMATIC HYDROCARBONS FROM PLANT MATRICES <u>Stuppner SE</u> , Bonn GK
119	CYTOTOXICITY AND ANTIVIRAL ACTIVITY OF 14-ACETOXYBADRAKEMIN AND UMBELLIPRENIN ISOLATED FROM <i>HEPTAPTERA ANISOPTERA</i> (DC.) TUTIN Rajtar B, <u>Świątek Ł</u> , Boguszewska A, Skalicka-Woźniak K, Tosun F, Miski M, Polz-Dacewicz M
120	CYTOTOXICITY OF PTERYXIN AND HYUGANIN C ISOLATED FROM <i>MUTELLINA PURPUREA</i> (APIACEAE) <u>Świątek Ł</u> , Rajtar B, Boguszewska A, Sieniawska E, Skalicka-Woźniak K, Polz-Dacewicz M

121	DETERMINATION OF ESSENTIAL OIL COMPOSITION, TOTAL ANTIOXIDANT ACTIVITY, TOTAL PHENOLIC AND FLAVONOID CONTENTS OF ANATOLIAN SAGE (<i>SALVIA FRUTICOSA</i> MILL.) POPULATIONS IN MARMARA REGION IN TURKEY <u>Topçu T</u> , Karik Ü
122	SEPARATION OF FLAVONOIDS AND PHENOLIC ACIDS BY TLC AND PPEC IN REVERSED PHASE SYSTEMS WITH SURFACTANT Polak B, <u>Traczuk A</u> , Kozyra M, Kamińska M
123	SUPERCRITICAL FLUID CHROMATOGRAPHY IN SEPARATION OF BIOACTIVE COMPOUNDS FROM PLANT MATERIALS EXTRACTS <u>Tyśkiewicz K</u> , Dębczak A, Gieysztor R, Maziarczyk I, Rój E
124	ROSMARINIC ACID AND SALVIANOLIC ACID B IN SHOOT OF <i>DRACOCEPHALUM FORRESTII</i> W. W. SMITH CULTURED IN THE NUTRIENT SPRINKLE BIOREACTOR <u>Weremczuk-Jeżyńska I</u> , Kochan E, Szymczyk P, Kuźma Ł, Grzegorzczak-Karolak I
125	ANXIETY-RELATED BEHAVIOURAL RESPONSE TO LIGHT-DARK TRANSITIONS OF <i>ANGELICA ARCHANGELICA</i> AND ITS PURE COMPOUNDS FOR POTENTIAL ANXIOLYTIC ACTIVITY USING THE IN VIVO ZEBRAFISH MODEL Budzyńska B, Maciąg M, <u>Widelski J</u> , Michalak A, Skalicka-Woźniak K
126	LYCOPODIUM SPECIES AS A SOURCE OF ACETYLCHOLINESTERASE ALKALOIDS – TLC BIOAUTOGRAPHY SCREENING Dymek A, <u>Widelski J</u> , Zhuravchak R, Kozachok S, Skalicka-Woźniak K, Mroczek T
127	ANXIOLYTIC ACTIVITY OF COUMARINS FROM <i>PEUCEDANUM LUXURIANS</i> AND <i>SESELI DEVENYENSE</i> <u>Widelski J</u> , Maciąg M, Budzyńska B, Skalicka-Woźniak K
128	PREPARATION OF FLAVONOID COMPOUNDS AND PHENOLIC ACIDS FROM ROOTS OF SEVERAL SPECIES OF <i>CENTAUREA</i> Józefczyk A, <u>Zajac J</u>
129	SEARCHING FOR OPTIMAL EXTRACTION CONDITIONS AND EVALUATION OF FREE RADICAL SCAVENGING ACTIVITY OF POLYPHENOLIC FRACTIONS OBTAINED FROM <i>SIDERITIS SCARDICA</i> GRIESEB. <u>Zgórka G</u> , Chrzęszcz M
130*	IMPACT OF XANTHAN GUM ADDITION ON PHENOLIC ACIDS COMPOSITION AND SELECTED PROPERTIES OF GLUTEN FREE CORN FIELD BEAN PASTA <u>Widelska G</u> , Kasprzak K, Widelski J, Kupryaniuk K, Żelizko K, Oniszczyk T, Oniszczyk A
131*	PHENOLIC ACID CONTENT AND ANTIOXIDANT ACTIVITY PROPERTIES OF EXTRUDED CORN SNACKS ENRICHED WITH KALE <u>Widelska G</u> , Kasprzak K, Widelski J, Kupryaniuk K, Żelizko K, Olech M, Nowak R, Oniszczyk T, Oniszczyk A
132*	HPLC-DAD-ESI-Q-TOF-MS/MS ANALYSIS OF FLAVONOIDS AND PHENOLIC ACIDS FROM <i>CRATAEGUS PENTAGYNA</i> WALDST. ET KIT. Bujor A, Luca SV, Aprotosoai AC, Silion M, <u>Miron A</u>